FUELS

HiTEC® 4103W Refinery and Distribution Additive



Cetane Improver for Diesel Fuels





HITEC[®] 4103W Refinery and Distribution Additive

Cetane Improver for Diesel Fuels

Key Performance Benefits

Afton has 50 years of innovation in supplying Cetane improvers, resulting in HiTEC[®] 4103W finished fuels additive, our third generation solution for diesel fuels.

HiTEC[®] 4103W additive delivers an increase in Cetane number to your diesel fuel, providing an economic route to meeting specifications and a platform for creating premium fuels.

HiTEC[®] 4103W additive improves combustion by reducing the ignition delay period resulting in:

- Easier cold starting & reduction in white smoke
- Emission reductions
- Reduced noise
- Improved fuel economy

Recommended Dosage

The cetane number of your base fuel will dictate the treat-rate of HiTEC[®] 4103W additive. Based on EN590 specification fuel, a treat-rate of approximately 300 ppmv will provide two Cetane numbers. Please contact your Afton Chemical representative for specific recommendations.

Typical Characteristics

Appearance:	Clear white to pale
	yellow liquid
Density at 15°C, g/ml:	0.968
Density, lbs/gal:	8.06
Specific Gravity at 20/20°C:	0.965
Flash Point, °C (PMCC):	65 min.
Kinematic Viscosity at 40°C, mm ² /s:	1.2
Kinematic Viscosity at -20°C, mm ² /s:	5.3

Handling Information

Max Handling Temp: 70°C Shelf Life: 120 months



Increased Cetane Number = Reduced Emissions



© 2016. Afton Chemical Corporation is a wholly-owned subsidiary of NewMarket Corporation (NYSE:NEU). HiTEC® is a trademark of Afton Chemical Corporation. 11/16.

The information in this bulletin is, to our best knowledge, sure and accurate, but all recommendations or suggestions are made without guarantee since the conditions of use are beyond our control. Afton Chemical Corporation and its affiliates disclaim any liability incurred in connection with the use of these data or suggestions. Furthermore, nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents covering any material or its use.

