FUELS





Lubricity Improver Additive for Ultra Low Sulfur Diesel Fuels





HiTEC[®] 4142 Diesel Fuel Lubricity Additive

Lubricity Improver Additive for Ultra Low Sulfur Diesel Fuels

Application

HiTEC[®] 4142 mono-acidic lubricity improver additive is designed to improve the lubricity of ultra low sulfur diesel fuels and provide cost effective solutions to ASTM D975 compliance.

Key Performance Benefits

- Proven HFRR performance in a variety of fuels
- Low sulfur content (<15 ppmm) minimizes impact on ULSD
- Excellent low temperature stability and handling
- Enhanced corrosion protection
- Compatible and completely miscible with commonly used diesel fuel additives
- Demonstrated no-harm performance:
- Compatible with lubricants
- Will not cause fuel filter plugging
- No impact on water shedding, corrosion, thermal stability, cloud point or fuel conductivity

Recommended Dosage

HiTEC[®] 4142 is suitable for use as blend components or stand alone additives. Recommended dosages are between 75-125 ppmv, depending on the severity of the base fuel. Please contact your Afton Chemical representative for specific recommendations.

Typical Characteristics

Appearance	Clear light amber liquid
Density, Ibs/gal.	7.53
Viscosity @ 40°C, cSt	11
Flash Point, °C (PMCC)	50 min.
Specific Gravity @ 15.6/15.6° C	0.9015
Acid Value, mgKOH/g	130
Sulfur, ppm	<15

Handling Information

Max Handling Temp: 45°C Shelf Life: 48 months

HiTEC[®] 4142 Lubricity Response Average in 3 Regional Diesel Fuels 580 550 **HFRR MWSD, microns** 520 Spec 520 490 460 430 400 80 0 20 40 60 100 120 HiTEC[®] 4142 Treat Rate (ppmv)

Competing Additive HiTEC[®] 4142



© 2019. Afton Chemical Corporation is a wholly owned subsidiary of NewMarket Corporation (NYSE:NEU). HiTEC* is a trademark of Afton Chemical Corporation. 03/19.

The information in this bulletin is, to our best knowledge, sure and accurate, but all recommendations or suggestions are made without guarantee since the conditions of use are beyond our control. Afton Chemical Corporation and its affiliates disclaim any liability incurred in connection with the use of these data or suggestions. Furthermore, nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents covering any material or its use.

